SAS Output Page 1 of 2

A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to check men for prostate cancer. Have you ever had a PSA test? Kentucky BRFSS 2001

C 1:	T 4 1	Yes	No
Geographic Groups	Total Respond.#	N % C.I.(95%)	N % C.I.(95%)
TOTAL	1785	1025 58.1 (54.8-61.3)	760 41.9 (38.7-45.2)
ADDs			
Barren River	131	67 51.5 (42.2-60.7)	64 48.5 (39.3-57.8)
Big Sandy	91	56 61.7 (50.6-71.7)	35 38.3 (28.3-49.4)
Bluegrass	104	59 57.5 (46.0-68.1)	45 42.5 (31.9-54.0)
Buffalo Trace	96	52 50.8 (37.1-64.4)	44 49.2 (35.6-62.9)
Cumberland Valley	100	54 49.8 (39.2-60.4)	46 50.2 (39.6-60.8)
FIVCO	156	101 62.8 (54.0-70.8)	55 37.2 (29.2-46.0)
Gateway	142	70 53.9 (39.9-67.2)	72 46.1 (32.8-60.1)
Green River	109	63 54.8 (44.5-64.6)	46 45.2 (35.4-55.5)
Kentucky River	98	45 45.1 (34.6-56.0)	53 54.9 (44.0-65.4)
KIPDA	136	88 64.5 (55.0-73.0)	48 35.5 (27.0-45.0)
Lake Cumberland	121	63 49.7 (39.8-59.6)	58 50.3 (40.4-60.2)
Lincoln Trail	122	62 52.3 (42.6-61.8)	60 47.7 (38.2-57.4)
Northern Kentucky	145	98 60.4 (50.9-69.3)	47 39.6 (30.7-49.1)
Pennyrile	97	59 61.5 (50.9-71.1)	38 38.5 (28.9-49.1)
Purchase	137	88 64.8 (55.8-72.8)	49 35.2 (27.2-44.2)

Asked only to males age 40 and older*

[#]Use caution in interpreting data for total respondents less than 50. N = Cell Size, NH = Non-Hispanic, %

⁼ Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level).

SAS Output Page 2 of 2

Percentages are weighted to population characteristics.

Unless stated differently above, Missing, 'Don't know', and Refused responses are excluded.